

**Work Zone Divider**  
Soundabsorbing Hanging Panel

**asset**  
space becomes place

# WORK ZONE DIVIDER

EZO  
BORD



**MEET WORK ZONE  
DIVIDER**



**EzoBord Work Zone Dividers add privacy, color and style, making every office space a better place to work in.**


Divide space, absorb sound and create visual privacy all in one simple solution...

EzoBord Work Zone Dividers are cut in various shapes and patterns ranging from organic shapes to geometric shapes to cityscapes. A great way to define space quickly and cost effectively.


Made with recycled plastic water bottles.

# WORK ZONE DIVIDERS


AZTEC




BAMBOO




BUBBLE



CHEVRON



CIRCLES



**WIDTH**

47½" (1207mm)

47½" (1207mm)

**HEIGHT**

95" (2413mm)

95" (2413mm)

**THICKNESS**


¾" (9mm)

½" (12mm)


Please note that all dimensions are nominal, supplier reserves the right to adjust sizing without prior notification.

# WORK ZONE DIVIDERS


CUBE




DAIRE




DECO



DOKUMA



RECTANGULAR  
UNDULATION



WIDTH

47 $\frac{1}{2}$ " (1207mm)

47 $\frac{1}{2}$ " (1207mm)

HEIGHT

95" (2413mm)

95" (2413mm)

THICKNESS


$\frac{3}{8}$ " (9mm)

$\frac{1}{2}$ " (12mm)


Please note that all dimensions are nominal, supplier reserves the right to adjust sizing without prior notification.

# WORK ZONE DIVIDERS


**FLATLINE**




**GALAXY**




**KESIK**



**LAZER**



**LEAF**



**WIDTH**

47½" (1207mm)

47½" (1207mm)

**HEIGHT**

95" (2413mm)

95" (2413mm)

**THICKNESS**


¾" (9mm)

½" (12mm)


Please note that all dimensions are nominal, supplier reserves the right to adjust sizing without prior notification.

# WORK ZONE DIVIDERS


**ORMAN**




**PALM**




**PIXELATED CIRCLES**



**PIXELATED SQUARES**



**SQUARES**



**WIDTH**

47 $\frac{1}{2}$ " (1207mm)

**HEIGHT**

95" (2413mm)

**THICKNESS**

$\frac{3}{8}$ " (9mm)

47 $\frac{1}{2}$ " (1207mm)


95" (2413mm)

$\frac{1}{2}$ " (12mm)

Please note that all dimensions are nominal, supplier reserves the right to adjust sizing without prior notification.

# SPECIFICATIONS

## WORK ZONE DIVIDER



### PATTERNS

20 standard patterns available.

**SIZE** 47.5" (1207mm) × 95" (2413mm)

**THICKNESS**  $\frac{3}{8}$ " (9mm) |  $\pm 0.5$ mm  
 $\frac{1}{2}$ " (12mm) |  $\pm 0.5$ mm

## COMPOSITION

**100% PET** (min. %50 recycled content)

## PRODUCT VARIANCES

Variation in fiber mix and colour may occur. All products will be supplied within commercial tolerances.

## CLEANING

Remove dust and dirt with a stiff plastic bristle brush. Distilled water can be used to remove stains. Always use a soft, clean cloth and blot dry. Vacuuming works great as well.

## FIRE TESTING

### NORTH AMERICA:

- ASTM E-84 Class A\*
- CAN ULC S102-10

### EUROPE AND UK:

- EN13501-1: 2007

\* Upon request, 1/2"(12mm) sheet material is treated with USA origin post-production flame retardant to Class A surface burning characteristics. Post sheet production FR treatment does not contain any Red List Restricted Chemicals and complies with California Proposition 65. Contact customer service for technical information, test data and safety data sheets for flame retardant

## ACOUSTICS

Refer to ASTM C423 test chart for specific absorption rates/frequency.

- $\frac{3}{8}$ " (9mm): NRC 0.75 (subject to mounting conditions and geometrical properties)
  - $\frac{1}{2}$ " (12mm): NRC 0.85 (subject to mounting conditions and geometrical properties)
- (subject to mounting conditions and geometrical properties)

## ENVIRONMENT

Made of polyester fiber, min. 50% of which comes from recycled water bottles which contributes to LEED MR Credit and BREEAM Health and Wellbeing, Materials points due to recycled content, acoustic performance, and low emitting materials. No VOC's: CDPH v1.2 and REACH SVHC Compliant.

## USGBC LEED V4 CREDITS

While individual products do not 'earn' LEED credits, Ezobord can contribute to the following LEED v4 Credits. Please refer to the USGBC LEED credit guides for detailed requirements.

- EQc9 for enhancing acoustic performance
- MRc3 BPDO for sourcing of raw materials for recycled contribution
- EQc6 interior lighting for surface reflectance (lighter color options).


## NOISE REDUCTION - 3/8" (9MM)

Constructed from  
3/8" (9mm) EzoBord

Divider Pattern  
Galaxy


### SOUND ABSORPTION COEFFICIENTS (ASTM C423-17)

NRC	SAA	125	250	500	1000	2000	4000
0.60	0.61	0.37	0.43	0.50	0.65	0.85	0.98



# COLOR & FINISHES

## COLORS 3/8" (9MM)



PURE BLACK  
PB09



CHARCOAL GRAY  
CG06



EBONY SLATE  
ES07




DARK GRAY  
DG34



SILVER GRAY  
SG04



CLASSIC WHITE  
CW04




LIGHT BEIGE  
LB01



DESERT SAND  
DS10



SUNNY DAYS  
SD18



TIGER ORANGE  
TO24



RUBY RED  
RR28



DEEP PURPLE  
DP30



MIDNIGHT NAVY  
MN12



POLAR ICE  
PI14



GREEN APPLE  
GA41

## COLORS 1/2" (12MM)




PURE BLACK  
PB09



CHARCOAL GRAY  
CG06



BOLD GRAY  
BG07



ELEPHANT GRAY  
EG11



SILVER GRAY  
SG04



CLASSIC WHITE  
CW04



DESERT SAND  
DS10



TREE BARK  
TB35



SUNNY DAYS  
SD18



BRICK RED  
BR34



GRAPE VINE  
GV36



ROYAL BLUE  
RB08



POLAR ICE  
PI14



OCEAN BLUE  
OB14



MOSS GREEN  
MG10



# ENVIRONMENT

## Our Commitment to the Environment

There are approximately 50 billion water bottles consumed around the world each year, and only about half of those get recycled. The rest end up in landfills, littered through our neighborhoods, or floating in our oceans.

Bottled water consumption has more than doubled since 2000; in 2015 there was the equivalent of more than 5 bottles of water consumed for every person in the USA every single week. This, of course, means that the amount of oil required to produce the energy used for the water bottling process continues to grow.

In 2007, the last year global statistics of oil consumption were available, between 32 million and 54 million barrels of oil were used to produce the bottled water that was consumed in the USA alone. This energy is used to make the bottles from PET pellets (1 million tons in the USA), treat water, bottle the water, label the bottles, and transport the bottled water. Most of the energy consumption occurs in the creation of the bottles themselves. To help in the lifecycle of this plastic product, we have chosen to manufacture our material so that it recycles these PET bottles. We are doing our part to reduce the waste. This acoustical and tackable material is made from PET bottles in a zero-waste process with postindustrial recycling. An environmentally friendly, sustainable, and waste reduced alternative to traditional acoustical/tackable material that looks great in any office, education, or open space installation.

## EzoBord is




- low VOC
- formaldehyde free

## DID YOU KNOW...



For every pound of recycled PET bottles (approximately 23) energy use is reduced by 84% and greenhouse gas emissions are reduced by 71%.

## PET BOTTLES



± 166 pet bottles are used to make one  $\frac{3}{8}$ " 9mm thick EzoBord sheet.

± 318 pet bottles are used to make one  $\frac{1}{2}$ " 12mm thick EzoBord sheet.





---

## CANADA

### Aysonics Inc - Ontario

825 Trillium Drive  
Kitchener, Ontario N2R 1J9  
P: 1-844-441-1122  
sales@aysonics.com

### Aysonics Inc - Alberta

#9112 – 52nd St. S.E.  
Calgary, Alberta T2C 5A9  
P: 1-844-441-1122  
sales@aysonics.com

## UNITED STATES

### Aysonics

**Mid West LLC**  
170 Prairie Lake Rd  
East Dundee, IL 60118  
P: 1-800-517-0686  
sales@mw.aysonics.com

### New England

32 Hampshire Rd  
Salem, NH 03079  
P: 603-824-9338 ext. 3001  
P: 603-327-4349  
sales@ne.aysonics.com

### Southwest

1700 1st Street  
San Fernando, CA 91340  
P: 213-833-9700  
sales@sw.aysonics.com

---

## EzoBord Head Office

6845 Rexwood Road, Unit 7 Mississauga  
ON, L4V 1S5 CANADA  
FAX +1 416 665 3571  
info@ezobord.com

## FOLLOW US



[ezobord.com](http://ezobord.com)

