

Ostoa
Coffee Tables

asset
space becomes place

AKABA

Ostoa Table Central Column

WOODEN BASE, POWDER COATED BASE



WOODEN CENTRAL COLUMN SIDE TABLE:

Base: Laser cut steel sheet base, 10 mm thick.

Structure: Steel structure with laminated wood.

Base finish in varnished oak wood.

Table tops in melamine 19 mm, compact 12 mm, wood 19 mm, plywood 20 mm or black phenix 20 mm.

Glides in 100% polypropylene.

PAINTED CENTRAL COLUMN SIDE TABLE:

Base: Laser cut steel sheet base, 10 mm thick.

Structure: Powder coated steel structure.


Table tops in melamine 19 mm, compact 12 mm, wood 19 mm, plywood 20 mm or black phenix 20 mm.

Metal finishes epoxy/polyester powder coat 50-90 microns thick depending on color, adhesion ISO 2409 Gt 0 and impact ASTM 2794 2.5 Joule D/R or chromed finish composition 98.4 % NI 1.6 % CR, 24.4 microns thick and adhesion UNE EN ISO 2409-96 Classification 0.

Glides in 100% polypropylene.

Measures

Ostoa Table Central Column



Specs

Product weight:
8,5kg

Packaging information:
520x540x590mm

Number of chairs per box:
1

AKABA

Atallu kalea 14
20170 Usurbil (Gipuzkoa)
Spain

akaba@akaba.net
T +34 943 372 211
F +34 943 371 052

