# **Sandie**Office Chair

# assisted to the space becomes place

# narbutas.com

# SANDIE

Technical information



# Other documents available for this product

User manual for SANDIE executive, task and meeting chairs User manual for SANDIE lounge chairs NARBUTAS product care guide

# 10 year Warranty

See Warranty statement









# **Technical information**

## Types

- · Executive chair (1)
- · Task chair (2)
- · Meeting chair (3)
- · High back lounge chair (4)
- · Low back lounge chair (5)



#### Executive / Task / Meeting chair

#### **Backrest**

- · Steel frame moulded with polyurethane
- · Upholstered with fabric

#### Seat

- · Insert moulded with polyurethane
- · Upholstered with fabric

#### Mechanism

- · Weight-sensitive synchro-mechanism
- · Three locking positions adjusted by an integrated lever
- Maximum backrest tilt angle: 18°, maximum seat tilt angle: 6°
- · Backrest connection part made of steel
- · Black outer shell made of plastic

#### Gas lift

- · Chromed or black
- · 135 mm run range
- · Maximum load of up to 110\* kg
- \*Tested according to standard EN 16139:2013, which assures that chairs can withstand a load of up to 110 kg. Exceeding this limit or careless activity with the product may result in damage or injury.

#### Base

- · 5 star with polished or black painted aluminium
- External Ø735 mm

#### Castors

- · Rubber-free wheel castors for hard floor, Ø65 mm
- · Polyamide (PA) free wheel castors for soft floor,  $\emptyset$ 65 mm
- · Rubber self-braking castors for hard floor, Ø65 mm
- · Polyamide (PA) self-braking castors for soft floor,  $\emptyset$ 65 mm

#### High-back lounge chair

#### **Backrest**

- · Steel frame moulded with polyurethane
- · Upholstered with fabric

#### Seat

- · Insert moulded with polyurethane
- · Rigid polyurethane bottom cover
- · Upholstered with fabric

#### Mechanism

- · Hidden inside the seat
- · Weight-sensitive synchro-mechanism
- Three locking positions adjusted by side lever (finished in chrome)
- · Maximum backrest tilt angle: 16°
- · Backrest connection part made of steel
- · Mechanism made of aluminium

#### Cylinder

- · Fixed-height cylinder with dampening effect
- · Chromed or black

#### Base

- · 4 star with polished or black painted aluminium
- · External Ø880 mm

### Low-back lounge chair

#### Seat and back

- · Steel frame moulded with polyurethane
- · Upholstered with fabric

#### Seat cushion

- · Made of polyurethane
- · Upholstered with fabric
- · Attached with velcro

#### Mechanism (only with 4 star base)

- · Fixed mechanism
- · Polished or black
- · Height adjustment with side lever (finished in chrome)

#### Gas lift (only with 4 star base)

- · Chromed or black
- · 100 mm run range
- · Maximum load of up to 110\* kg


\*Tested according to standard EN 16139:2013, which assures that chairs can withstand a load of up to 110 kg. Exceeding this limit or careless activity with the product may result in damage or injury.

#### Base

- Powder-coated steel frame, Ø12 mm rod, plastic glides with or without felt for hard and soft floor
- · 4 star with polished or black painted aluminium
- · External Ø880 mm


# Range

#### Executive chair





#### Task chair






## Meeting chair







# High-back lounge chair



# Low-back lounge chair


4 star base






# Low-back lounge chair


Wire steel frame with glides



# Additional information

- The low-back lounge chair with a steel frame and 4 star base arrives fully assembled.
- The high-back lounge chair with a 4 star base arrives partly assembled. The base, castors and gas lift are not assembled.





· The Executive/ Task/ Meeting chairs arrive partly assembled. The base, castors and gas lift are not assembled.

