

Spot
Single Booths

asset
space becomes place

SPOT

silentlab

SPOT is a premium acoustic pod designed for quick calls and peak productivity. Tailored for individual use, it seamlessly merges functionality with aesthetics, creating a tranquil environment for focused work.




reddot winner 2025



GEN4

Technical details

| | |
|----------------------------------|--|
| exterior dimensions (w × h × d) | 1150 × 2270 × 1030 mm / 45.3 × 89.4 × 40.6 in |
| interior dimensions (w × h × d) | 920 × 2097 × 945 mm / 36.2 × 82.6 × 37.2 in |
| weight | 350 kg / 771.6 lb |
| door dimensions | 985 × 2135 mm / 38.8 × 84.1 in |
| door opening clear dimensions | 924 × 2100 mm / 36.3 × 82.7 in |
| door opens | left / right (choice available during installation) |
| glass doors | sound-insulating glass |
| glass walls | sound-insulating glass |
| solid walls | sandwich panel with acoustic filling |
| ceiling | sandwich panel with acoustic filling, the roof is not upholstered |
| flooring | sandwich panel with acoustic filling, carpet (anthracite grey/steel grey) |
| glass wall frame and door handle | wooden (natural/black) |
| sound attenuation | speech level reduction $D_{s,a}$ (class A+)*1 |
| ventilation | standard air flow: 114 m³/h maximum air flow: 179 m³/h |
| lighting | Dual Light – natural and ambient light |
| natural light | procognitive full-spectrum LED lighting with a color temperature of 4800K, >95 CRI |
| ambient light | LED lighting with adjustable color temperature (3000K-6000K, <90 CRI) and light intensity |
| energy consumption | in operation: 53 W in standby: 12,5 W |
| power | 220–240 V, 50/60 Hz, 10 A |
| desk | 780 × 28 × 380 mm / 30.7 × 1.1 × 15 in (w × h × d) table in the middle of the wall, oak |
| standard equipment | electrical socket (1x), motion sensor, Dual Light, ventilation, 7" LCD control panel |
| optional equipment | refer to the pricelist |
| color options | decorative fabric (refer to swatches)*2 |
| environmental product profile | This product has an Environmental Product Declaration (EPD ³) prepared in accordance with ISO 14025 and the implementing standards ISO 14040, ISO 14044, and EN 15804. |



*1 ISO 23351-1:2020 – Acoustics — Measurement of speech level reduction of furniture ensembles and enclosures — Part 1: Laboratory method.

*2 Product specifications apply when using standard materials. To ensure optimal performance, the product is designed to work with carefully selected and tested materials. Using materials not specified in the SilentLab material selection may affect acoustic properties and functionality.

*3 The EPD provides summary information on the potential environmental impacts of the product throughout its entire life cycle.

All intellectual property rights („Rights“), whether registered or not, relating to any content, texts, photographs, images, logos, instructions, designs, technical solutions, etc. („Content“) are the property of SilentLab s.r.o. („Owner“) and any interference with these Rights to any Content or part thereof without the prior express and written consent of the Owner is not permitted. Any use of the Content not expressly authorized in writing in advance, with the exception of internal and non-commercial use of the unmodified Content for the purposes of the customer's own order, is considered an infringement of the Owner's Rights. In particular (not exclusively), any reproduction, change, addition, merger or other modification of the Content is prohibited without the prior express written consent of the Owner.

The final product configuration may differ from the versions shown in the photographs.
SilentLab®, MICROOFFICE® and their logos are registered trademarks of SilentLab s.r.o. All MICROOFFICE products are patent pending.

version 2025.2

